



检测报告 (Test Report)

No. MRD63X1G4519505HJZ

委托单位 广东南方碱业股份有限公司

项目名称 广东南方碱业股份有限公司

签发日期 2023 年 10 月 27 日



声 明
Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请，同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后，本单位会尽快安排复测。如果复测结果与异议内容相符，本单位将退还委托单位的复测费。
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律责任。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲ 防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的。
The report number is unique.
2. 扫描报告首页下方二维码，即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.

 **全国服务热线**
400-819-5688
WWW.PONYTEST.COM



北京实验室：(010) 83055000 郑州实验室：(0371) 69350670 成都谱尼计量实验室：(028) 87702708 宁波实验室：(0574) 87736499
北京谱尼科技公司：(010) 80415661 郑州市疾病预防控制中心：(0371) 80967099 贵州实验室：(0851) 85221000 合肥实验室：(0551) 63843474
北京谱尼计量实验室：(010) 82492998 新疆实验室：(0991) 6684186 上海实验室：(021) 64851999 深圳实验室：(0755) 26050909
青岛实验室：(0532) 88706866 石家庄实验室：(0311) 85376660 苏州实验室：(0512) 62997900 深圳谱尼计量实验室：(0755) 26050909-846
天津实验室：(022) 23607888 西安实验室：(029) 89608785 苏州汽车座椅实验室及儿童安全座椅 谱尼深圳通测：(0755) 27673339
长春实验室：(0431) 80530198 西安创冠信息科技有限公司：(029) 81123093 碰撞实验室：(0512) 62997900 广州实验室：(020) 89224310
沈阳实验室：(024) 22811886 西安查德威克扫描技术有限公司：(029) 85729073 武汉实验室：(027) 83997127 南宁实验室：(0771) 5518818
大连实验室：(0411) 87336618 呼和浩特实验室：(0471) 3450025 武汉车附所：(027) 82318175 厦门实验室：(0592) 5568048
哈尔滨实验室：(0451) 58627755 成都实验室：(028) 87702708 杭州实验室：(0571) 87219096

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 1 页，共 9 页 (page 1 of 9)

委托单位	广东南方碱业股份有限公司			
项目名称	广东南方碱业股份有限公司			
受测地址	广州市黄埔区南岗西路 488 号			
采样日期	2023-10-13	检测日期	2023-10-13~2023-10-27	
样品编号	G4494545HJ~G4494575HJ	样品名称	土壤	
检测方法	详见附表			
检测项目	检测结果			
	G4494545HJ S9-1 (0.1-0.4m)	G4494555HJ S9-2 (2.0-2.3m)	G4494565HJ S9-3 (4.0-4.3m)	G4494575HJ S9-3PX (4.0-4.3m)
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 2 页，共 9 页 (page 2 of 9)

委托单位	广东南方碱业股份有限公司					
项目名称	广东南方碱业股份有限公司					
受测地址	广州市黄埔区南岗西路 488 号					
采样日期	2023-10-13		检测日期		2023-10-13~2023-10-27	
样品编号	G4494585HJ~G4494635HJ		样品名称		土壤	
检测方法	详见附表					
检测项目	检测结果					
	G4494585HJ S4-1 (0.1-0.5m)	G4494595HJ S4-2 (1.4-1.7m)	G4494605HJ S4-3 (3.4-3.6m)	G4494615HJ S3-1 (0.3-0.6m)	G4494625HJ S3-2 (1.0-1.3m)	G4494635HJ S3-3 (3.0-3.3m)
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 3 页，共 9 页 (page 3 of 9)

委托单位	广东南方碱业股份有限公司			
项目名称	广东南方碱业股份有限公司			
受测地址	广州市黄埔区南岗西路 488 号			
采样日期	2023-10-13	检测日期	2023-10-13~2023-10-27	
样品编号	G4494645HJ~G4494675HJ	样品名称	土壤	
检测方法	详见附表			
检测项目	检测结果			
	G4494645HJ S2-1 (0.1-0.4m)	G4494655HJ S2-2 (2.0-2.4m)	G4494665HJ S2-3 (4.0-4.4m)	G4494675HJ S2-3PX (4.0-4.4m)
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 4 页，共 9 页 (page 4 of 9)

委托单位	广东南方碱业股份有限公司		
项目名称	广东南方碱业股份有限公司		
受测地址	广州市黄埔区南岗西路 488 号		
采样日期	2023-10-13	检测日期	2023-10-13~2023-10-27
样品编号	G4494685HJ~G4494705HJ	样品名称	土壤
检测方法	详见附表		
检测项目	检测结果		
	G4494685HJ S5-1 (0.2-0.5m)	G4494695HJ S5-2 (2.0-2.4m)	G4494705HJ S5-3 (4.0-4.3m)
苯胺, mg/kg	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 5 页，共 9 页 (page 5 of 9)

委托单位	广东南方碱业股份有限公司			
项目名称	广东南方碱业股份有限公司			
受测地址	广州市黄埔区南岗西路 488 号			
采样日期	2023-10-16	检测日期	2023-10-16~2023-10-27	
样品编号	G4494745HJ~G4494775HJ	样品名称	土壤	
检测方法	详见附表			
检测项目	检测结果			
	G4494745HJ S7-1 (0.2-0.4m)	G4494755HJ S7-2 (1.0-1.3m)	G4494765HJ S7-3 (3.0-3.4m)	G4494775HJ S7-3PX (3.0-3.4m)
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 6 页，共 9 页 (page 6 of 9)

委托单位	广东南方碱业股份有限公司					
项目名称	广东南方碱业股份有限公司					
受测地址	广州市黄埔区南岗西路 488 号					
采样日期	2023-10-16		检测日期		2023-10-16~2023-10-27	
样品编号	G4494785HJ~G4494835HJ		样品名称		土壤	
检测方法	详见附表					
检测项目	检测结果					
	G4494785HJ S6-1 (0.4-0.6m)	G4494795HJ S6-2 (2.0-2.4m)	G4494805HJ S6-3 (4.0-4.4m)	G4494815HJ S8-1 (0.4-0.7m)	G4494825HJ S8-2 (2.4-2.7m)	G4494835HJ S8-3 (4.3-4.5m)
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 7 页，共 9 页 (page 7 of 9)

委托单位	广东南方碱业股份有限公司		
项目名称	广东南方碱业股份有限公司		
受测地址	广州市黄埔区南岗西路 488 号		
采样日期	2023-10-16	检测日期	2023-10-16~2023-10-27
样品编号	G4494845HJ~G4494865HJ	样品名称	土壤
检测方法	详见附表		
检测项目	检测结果		
	G4494845HJ S10-1 (0.4-0.6m)	G4494855HJ S10-2 (2.0-2.4m)	G4494865HJ S10-3 (4.0-4.4m)
苯胺, mg/kg	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 8 页，共 9 页 (page 8 of 9)

委托单位	广东南方碱业股份有限公司			
项目名称	广东南方碱业股份有限公司			
受测地址	广州市黄埔区南岗西路 488 号			
采样日期	2023-10-16	检测日期	2023-10-16~2023-10-27	
样品编号	G4494875HJ~G4494905HJ	样品名称	土壤	
检测方法	详见附表			
检测项目	检测结果			
	G4494875HJ S1-1 (0.3-0.6m)	G4494885HJ S1-2 (2.0-2.3m)	G4494895HJ S1-3 (4.0-4.4m)	G4494905HJ S1-3PX (4.0-4.4m)
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1

检测报告

(Test Report)

No. MRD63X1G4519505HJZ

第 9 页，共 9 页 (page 9 of 9)

委托单位	广东南方碱业股份有限公司					
项目名称	广东南方碱业股份有限公司					
受测地址	广州市黄埔区南岗西路 488 号					
采样日期	2023-10-17		检测日期		2023-10-17~2023-10-27	
样品编号	G4494935HJ~G4494985HJ		样品名称		土壤	
检测方法	详见附表					
检测项目	检测结果					
	G4494935HJ B6 (0~0.2)	G4494945HJ B4 (0~0.2)	G4494955HJ B4PX (0~0.2)	G4494965HJ B3 (0~0.2)	G4494975HJ B2 (0~0.2)	G4494985HJ B1 (0~0.2)
苯胺, mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1

附表：检测项目方法仪器一览表

检测项目	分析方法	方法来源	仪器设备	最低检出浓度
苯胺	气相色谱-质谱法	土壤和沉积物 半挥发性有机物的测定 HJ 834-2017	气相色谱-质谱联用仪	0.1 mg/kg

编制：陈雨棠

审核：王汉中

批准：张海洋

——以下空白——

(End of Report)